Sentry TNPS Tennis Post System

Uprights shall consist of an external 3 ½" outside diameter, ½" wall 6063-T6 aluminum tube, powder coated black. Top of post shall be capped with a 2" zinc plated pully for net cable guidance. Non-winch standards shall weigh approximately 20 lbs. and winch end standard shall weigh approximately 25 lbs. Each post shall have a net lacing strap constructed of ½" thick aluminum to allow net to be properly secured to inside edge of post.

PVC Sleeve – Each set shall include two PVC sleeves to allow post removal when needed. Sleeve shall be 36" long, constructed of white PVC material. Systems with metal sleeves shall not be considered equal.

The net shall be 42" high and 41'6" long. Net shall be constructed of black polypropylene 3 mm woven netting with 32 oz. head band. 2.5" wide black vinyl side and bottom tapes shall complete the perimeter. Each net shall have a tapered middle so as to avoid net bunching on the court surface common with competitors nets. Each net shall have a white vinyl coated top cable with loop at both ends. Side dowels for added strength are included. Net mesh shall be "Double Top Six" style to prevent net wear at top of net. The top cable shall rest in a groove of a 2" diameter steel pulley at the top of the winch standard for ease of net tensioning. The top of the net shall be tensioned by means of a 26:1 ratio worm gear winch for safety to prevent back drive common with competitors winches. Winch shall be designed to wind the net cable and have a removable handle.

White center strap and standard center strap anchor shall be included.

Upright standards and components shall carry no less than a Lifetime Limited Warranty. Net shall carry a 2-Year Limited Warranty.

Entire Sentry TNPS system shall weigh 85 lbs.